

### Technical Specifications

Split-type Inverter			
Sr No	Parameter	Unit	Value
57	Indoor Unit Model	--	BMKH12M-LM 顶<WIFI><预留手操器><通侧>
58	Fan Type	--	Cross-flow
59	Fan Diameter Length(D×L)	mm	Φ98×633.5
60	Fan Diameter Length(D×L)	inch	
61	Cooling Speed	r/min	1400/1200/1050/800
62	Heating Speed	r/min	1400/1200/1000/900
63	Fan Motor Power Output	W	20
64	Fan Motor RLA	A	0.09
65	Fan Motor Capacitor	μF	/
66	Heater Power Input	W	
67	Evaporator Form	--	Aluminum Fin-copper Tube
68	Evaporator Pipe Diameter	mm	φ7
69	Evaporator Pipe Diameter	inch	
70	Evaporator Row-fin Gap	mm	2-1.4
71	Evaporator Row-fin Gap	inch	
72	Evaporator Coil Length (L×D×W)	mm	635×22.8×306.3
73	Evaporator Coil Length (L×D×W)	inch	
74	Indoor Unit Swing Motor Model	--	MP24HF
75	Indoor Unit Swing Motor Power Output	W	1.5
76	Indoor Unit Fuse Current	A	3.15
77	Indoor Unit Set Temperature Range	°C	16~30
78	Indoor Unit Set Temperature Range	°F	61~86
79	Indoor Unit Sound Pressure Level	dB (A)	45/39/35/29
80	Indoor Unit Sound Power Level	dB (A)	55/49/45/39
81	Indoor Unit Dimension (W×H×D)	mm	894×291×211
82	Indoor Unit Dimension (W×H×D)	inch	35 13/64×11 29/64×8 20/64
83	Indoor Unit Dimension of Carton Box (L×W×H)	mm	943×349×278
84	Indoor Unit Dimension of Carton Box (L×W×H)	inch	37 8/64×13 47/64×10 60/64
85	Indoor Unit Dimension of Package(L×W×H)	mm	948×365×289
86	Indoor Unit Dimension of Package(L×W×H)	inch	37 21/64×14 24/64×11 24/64
87	Indoor Unit Stacked Layers	—	7
88	Indoor Unit Net Weight	kg	11
89	Indoor Unit Net Weight	lb	24.3
90	Indoor Unit Gross Weight	kg	13
91	Indoor Unit Gross Weight	lb	28.7